

Enum Module

Juha Heinanen

Enum Module
by Juha Heinanen

Copyright © 2002, 2003 Juha Heinanen

Revision History

Revision \$Revision: 1.1.2.1 \$ \$Date: 2003/08/05 21:48:06 \$

Table of Contents

1. User's Guide	1
1.1. Overview	1
1.2. Dependencies	1
1.3. Exported Parameters.....	1
1.3.1. <code>domain_suffix(string)</code>	2
1.4. Exported Functions	2
1.4.1. <code>enum_query(service)</code>	2
1.4.2. <code>is_from_user_e164()</code>	2
2. Developer's Guide	3
3. Frequently Asked Questions	4

List of Examples

1-1. Setting domain_suffix module parameter	2
1-2. enum_query usage	2
1-3. is_from_user_e164 usage	2

Chapter 1. User's Guide

1.1. Overview

Enum module implements `enum_query` function that makes an enum query based on the user part of the current request URI. The function assumes that the user part consists of an international phone number of the form +decimal-digits, where the number of digits is at least 2 and at most 15. Out of this number `enum_query` forms a domain name, where the digits are in reverse order and separated by dots followed by domain suffix that by default is "e164.arpa.". For example, if the user part is +35831234567, the domain name will be "7.6.5.4.3.2.1.3.8.5.3.e164.arpa.".

After forming the name, `enum_query` queries from DNS its NAPTR records. From the possible response the current version of `enum_query` chooses the *FIRST* record, whose flags field has string value "u" and whose services field has string value "e2u+[service:]sip" (case is ignored in both cases). "service" is given to `enum_query` as a parameter. If its value is "", then "e2u+sip" is looked for. If no such record is found, `enum_query` returns -1.

If such a record is found, `enum_query` checks if its regexp field is of the form !pattern!replacement!. If yes, `enum_query` replaces the current Request-URI with replacement, which it assumes to contain a SIP or SIPS type URI, and returns value 1.

If the regexp field is not of the form !pattern!replacement!, `enum_query` returns -1.

In addition to `enum_query`, enum module implements `is_from_user_e164` function that checks if the user part of from URI is an E164 number.

TODO: In `enum_query`, proper implementation of the NAPTR record selection algorithm could be implemented by taking into account the order and preference fields (see draft-ietf-sipping-e164-02).

1.2. Dependencies

The module depends on the following modules (in the other words the listed modules must be loaded before this module):

- No dependencies.

1.3. Exported Parameters

1.3.1. `domain_suffix` (string)

The domain suffix to be added to the domain name obtained from the digits of an E164 number.

Default value is "e164.arpa."

Example 1-1. Setting `domain_suffix` module parameter

```
modparam("enum", "domain_suffix", "e1234.arpa.")
```

1.4. Exported Functions

1.4.1. `enum_query`(service)

Replaces the current Request-URI with the result of a successful enum query on the user part of the current Request-URI, which is assumed to be of the form +up-to-15-decimal-digits. An NAPTR record whose flags field has string value "u" and whose services field has string value "e2u+service:sip" or "e2u+sip" (if service string == "") is looked for. Returns -1 if `enum_query` fails and 1 otherwise.

Meaning of the parameters is as follows:

- *service* - service string to be used in the service field.

Example 1-2. `enum_query` usage

```
...
enum_query("");
...
```

1.4.2. `is_from_user_e164`()

Checks if the user part of from URI an E164 number of the form +[0-9]{2,15}. Returns 1 if yes and -1 if not.

Example 1-3. `is_from_user_e164` usage

```
...
if (is_from_user_e164()) {
    ....
};
...
```

Chapter 2. Developer's Guide

To be done.

Chapter 3. Frequently Asked Questions

1. What is the meaning of life ?

42